




0360

In re Application of : Tom W. Muir et al.
Serial No. : 09/904,117
Filing Date : July 12, 2001
Examiner : Not yet assigned
Group Art Unit : Not yet assigned
Entitled : METHODS OF LIGATING
EXPRESSED PROTEINS

Suite 720
1601 Market Street
Philadelphia, PA 19103
(215) 563-4100 (telephone)
(215) 563-4044 (facsimile)
Our File No. 3440-P02436US2

Certificate of Mailing Under 37 C.F.R. §1.8(a):

I hereby certify that this correspondence is being deposited on March 22, 2002 with the United States Postal Service as first-class mail in an envelope properly addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231



Kimberly St. Clair Kelley

Assistant Commissioner
for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Dear Sir:

This is in response to a Notice to File Corrected Application Papers dated January 22, 2002.

Enclosed herewith are eleven (11) sheets of drawings in connection with the above-identified patent application, now

09904117.032802

PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

FILING/RECEIPT DATE

07/12/2001

FIRST NAMED APPLICANT

Tom W. Muir

ATTORNEY DOCKET NUMBER

3440-P02436US3

0001
DANN D. HERRELL & SKILLMAN
SUITE 720
1601 MARKET STREET
PHILADELPHIA, PA 19103-2307

CONFIRMATION NO. 2865

FORMALITIES LETTER



OC000000007340863

Date Mailed: 01/22/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE


200411032002

containing the appropriate margins. These drawings are believed to be electronically reproducible in nature.

Respectfully submitted,

DANN DORFMAN HERRELL AND SKILLMAN
A Professional Corporation

By:


Kathleen D. Rigaut, Ph.D., J.D.
Registration No. 43,047
For Patrick J. Hagan
Registration No. 27,643

PJH:KDR:ksk
Enclosures

09904117.032806